

Rittal – The System.

Faster – better – everywhere.



SZ 2482.220

Interface extension with wall connection

State: 12/05/2026 (Source: rittal.com/ie-en)



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

SZ 2482.220 - Interface extension with wall connection

For extending the internal enclosure interfaces – e.g. from industrial PCs and switches – up to the outside of the enclosure.

Features

Model No.	SZ 2482.220
Design	USB 2.0 wall-mounted jack type A on internal connector type A
Product description	For extending the internal enclosure interfaces – e.g. from industrial PCs and switches – up to the outside of the enclosure. The wall connection only needs the same space as a switch.
Benefits	Rapid access for maintenance work The protection category of the enclosure is preserved The lock nut cuts automatically into the spray-finish, thereby creating a conductive connection Captive protective cap
Material	Enclosure: Brass Cover: Aluminium Seal: Polyamide
Surface finish	Enclosure: Nickel-plated Cover: Natural anodised
Length	1 m
Dimensions	Length: 1 m
For wall thickness (max.)	1 - 6 mm
IP protection category to IEC 60529	IP67 with sealed protective cap
Packs of	1 pc(s).
Net weight	0.095 kg
Gross weight	0.107 kg
Customs tariff number	85369095
ETIM 9	EC001408

Features

ETIM 8	EC001408
ECLASS 8.0	19059205
Product description	SZ Interface extension, with wallconnection, USB, L: 1000 mm
