


Rittal – The System.

Faster – better – everywhere.



SK 3312.016 Fan module

State: 31/07/2025 (Source: [rittal.com/ie-en](https://www.rittal.com/ie-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3312.016 - Fan module for LCP Rack/Inline CW

Increased cooling output. Additionally redundancy can be achieved or the electric power consumption can be reduced.



Features

Model No.	SK 3312.016
Product description	To increase the cooling output, individual fan modules may be retro-fitted into the LCPs. Additional integration can also achieve redundancy or reduce the electric power consumption of the LCPs.
Benefits	May be connected with the system operational Tool-free replacement of the fan modules
Function principle	Installing fan modules in an LCP increases the air throughput and hence the cooling output of the chosen variant. With an adequate cooling output, fan modules may be added to create redundancy. Retro-fitting additional fans over and above the required volumetric air flow allows you to reduce the electrical energy consumption, since the fans then operate at a lower speed. At the same time, the noise level of the unit will be significantly reduced.
Colour	RAL 9005
Supply includes	1 fan unit EC fan Fully wired ready for connection Assembly parts
Packs of	1 pc(s).

Features

Net weight	7.22
Gross weight	7.52
Customs tariff number	84145915
EAN	4028177811515
ETIM 9	EC000320
ETIM 8	EC000320
ECLASS 8.0	27180716

Tender text

LCP fan module, 3312.016
for LCP Rack / Inline CW 3312.130/230/250/260/530/540/550/560

LCP Fan module 3312.016:

The fan module is suitable for the LCP Rack / Inline CW.

The additional installation of fan modules into an LCP increases the air throughput and thus the cooling output of the respective variant.

If there is already sufficient cooling capacity, the addition of fan modules can help to form redundancies.

Furthermore, by retrofitting fans beyond the required volumetric air flow, the electrical energy consumption can be reduced as the fans then work at a lower speed.

Similarly, the noise level of the device is clearly reduced.

The cooling module is quickly and easily installed without tools, so minimising maintenance time.

LCP module, packaging unit consisting of:

An EC technology fan module with the necessary mounting material

Colour: RAL 9005