

Faster – better – everywhere.





HD 4000.062 Command panel HD

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 13/09/2025 (Source: rittal.com/ie-en)



FRIEDHELM LOH GROUP

ENCLOSURES

HD 4000.062 - Command panel HD

Monitors, PCs and other components with displays are hygienically and securely protected in the command panel. The roof tilt of 30° prevents objects from being deposited on it, and allows liquids to run off quickly.

Features

Model No.	HD 4000.062
Benefits	Roof angled forwards by 30°
	Height-adjustable mounting plate for screen up to 24"
	Holder for desktop TFT, height-adjustable for screens up to 24"
Material	Enclosure and door: Stainless steel 1.4301 (AISI 304)
	Lock insert HD: Stainless steel 1.4404 (AISI 316L)
	Viewing window: Polycarbonate
	Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600
	Viewing window: Polycarbonate
Surface finish	Enclosure and door: Brushed, grain 400, peak-to-valley height
	< 0.8 µm
	Seal: Blue, dyed (RAL 5010)
Supply includes	Enclosure of all-round solid construction
	Door with viewing window and inserted seal
	R/h door hinge
	Holder for desktop TFT with VESA 75/100 locator
Options	without viewing window
	Mounting panel instead of a mounting plate
	Cut-out for touch panel instead of viewing window
	HD keyboard support
Dimensions	Width: 810 mm
	Height, front: 692 mm
	Height rear: 848 mm
	Depth: 266 mm
Visible area	Viewing window width: 535 mm
	Viewing window height: 325 mm

Features

_
2 mm
IP 66
IP X9
NEMA 4X
IK08
1 pc(s).
33.2
33.2
94032080
4028177709539
EC000261
EC000261
27180101