Rittal – The System.

Faster – better – everywhere.





State: 4/09/2025 (Source: rttal.com/ie-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

T INFRASTRUCTURE

SOFTWARE & SERVICES



VX 5301.244 - Side panel, vertically divided for VX IT

Side panels, vertically divided, for VX IT



Features

| Model No. | VX 5301.244 |
|----------------------|-----------------------------------------------------------------|
| Benefits | Easy to use |
| | Easy to close with snap fasteners |
| | Optimum access to all installed components |
| | Opening is only possible via internal locking elements, which |
| | requires free access via the doors, but significantly increases |
| | access security |
| | Individual side parts may be completely dismantled at any time |
| | without the need for tools |
| Material | Sheet steel |
| Surface finish | Powder-coated |
| Colour | RAL 7035 |
| Supply includes | 2 side parts |
| | Punched rail |
| | 6 Hinges |
| | 4 quick-release fasteners |
| | Assembly parts |
| Assembly instruction | Access via the front and rear doors must be guaranteed |
| To fit | Enclosure type: VX IT |
| | Height: = 2,200 mm |
| | Depth: = 1,000 mm |

© Rittal 2025

Features

| IP protection category to IEC 60 529 | IP 20 |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Basic material | Sheet steel |
| Packs of | 1 pc(s). |
| Net weight | 30.6 |
| Gross weight | 30.8 |
| PCF per pack (cradle-to-gate) | 117.3 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| EAN | 4028177955851 |
| E-Number Sweden | E7282559 |
| ETIM 9 | EC002524 |
| ECLASS 8.0 | 27182101 |

© Rittal 2025 3