Rittal – The System.

Faster – better – everywhere.





VX 9680.227 Bayed enclosure system VX25

State: 3/08/2025 (Source: rittal.com/ie-en)



VX 9680.227 - Bayed enclosure system VX25 Fuse-switch-disconnector enclosure

Baying systems for the distribution of electrical power with NH slimline fuse-switch disconnectors (ABB or Jean Müller).







2

Features

Model No.	VX 9680.227
Material	Sheet steel, 1.5 mm
Surface finish	Enclosure frame: Dipcoat-primed
	Door, roof and rear panel: Dipcoat-primed, powder-coated on the
	outside, textured paint
	Gland plates: Zinc-plated
Colour	RAL 7035
Supply includes	Enclosure frame
	Door
	Roof plate
	Rear panel
	Gland plates
	Front trim panels
	Lock: 3 mm double-bit
	Compartment side panels
	Locating frame for disconnectors with fuses (brands ABB SlimLine/
	Jean Müller SASIL)
Protection category to IEC 60 529	Up to IP 3X, depending on the panels

© Rittal 2025

Features

Test specification	IEC 61 439-1/-2
	IEC 61 641
Dimensions	Width: 1,200 mm
	Height: 2,200 mm
	Depth: 800 mm
Packs of	1 pc(s).
Net weight	158.95
Gross weight	176.4
PCF per pack (cradle-to-gate)	391.5 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
EAN	4028177937055
ETIM 9	EC000261
ECLASS 8.0	27180101

Approvals

Certificates	Surface finish
Explanations	Declaration of conformity
	Declaration of conformity UK

© Rittal 2025 3