

Rittal – The System.

Faster – better – everywhere.



SV 3583.000 Busbars E-Cu

State: 4/5/2025 (Source: rittal.com/in-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE



SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3583.000 - Busbars E-Cu

Length: 2400 mm/bar.



Features

Model No.	SV 3583.000
Material	E-Cu F30
Length	2,400 mm
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	25 mm x 5 mm
Dimensions	Length: 2,400 mm
Packs of	6 pc(s).
Net weight	15.9
Gross weight	16.16
Copper weight (kg per piece)	2.68
Customs tariff number	74071000
EAN	4028177044807
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK

Tender text

Busbar made from E-Cu
Busbars E-Cu to DIN 13601
Technical specifications
Length: 2400 mm
Dimension: 25 x 5mm
Cross section: 124 qmm
Weight: 1.11 Kg/m
Electrical parameters
IEC: to 384 A
UL 508: 290 A
System:
Rittal RiLine60