Rittal – The System.

Faster – better – everywhere.







Stat

ENCLOSURES

POWER DISTRIBUTION X CLIMATE CONTROL


IT INFRASTRUCTURE SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

SV 3584.000 - Busbars E-Cu

Length: 2400 mm/bar.



Features

Model No.	SV 3584.000
Material	E-Cu F30
Length	2,400 mm
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	30 mm x 5 mm
Dimensions	Length: 2,400 mm
Packs of	6 pc(s).
Net weight	19.2
Gross weight	19.24
Copper weight (kg per piece)	3.21
Customs tariff number	74071000
EAN	4028177044821
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303

Approvals

 Approvals
 UL + C-UL (listed)

 Explanations
 Declaration of conformity

 Declaration of conformity UK

Tender text

Busbar made from E-Cu Busbars made from E-Cu to DIN 13601 Technical specifications Length: 2400 mm Dimension: 30 x 5mm Cross section: 149 qmm Weight: 1.30 Kg/m Electrical parameters IEC: to 447 A UL 508: 350 A System: Rittal RiLine60