

Rittal – The System.

Faster – better – everywhere.



SV 3584.000 Busbars E-Cu

State: 3/7/2026 (Source: rittal.com/in-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3584.000 - Busbars E-Cu

Length: 2400 mm/bar.



Features

| | |
|------------------------------|--|
| Model No. | SV 3584.000 |
| Material | E-Cu F30 |
| Note | May be cut individually to required length |
| Standards | DIN EN 13 601 |
| Cross-section | 30 mm x 5 mm |
| Dimensions | Length: 2,400 mm |
| Packs of | 6 pc(s). |
| Net weight | 19.2 kg |
| Gross weight | 19.24 kg |
| Copper weight (kg per piece) | 3.21 |
| Customs tariff number | 74071000 |
| ETIM 9 | EC001522 |
| ETIM 8 | EC001522 |
| ECLASS 8.0 | 27370303 |
| Product description | SV Busbar E-Cu, WH: 30x5 mm, L: 2400 mm |

Approvals

| | |
|--------------|---|
| Approvals | UL + C-UL (listed) |
| Explanations | Declaration of conformity Declaration of conformity UK |

Tender text

Busbar made from E-Cu

Busbars made from E-Cu to DIN 13601

Technical specifications

Length: 2400 mm

Dimension: 30 x 5mm

Cross section: 149 qmm

Weight: 1.30 Kg/m

Electrical parameters

IEC: to 447 A

UL 508: 350 A

System:

Rittal RiLine60