Rittal – The System.

Faster – better – everywhere.





DK 7200.210 Connection cable for power packs

State: 8/12/2025 (Source: rittal.com/in-en)



DK 7200.210 - Connection cable for power packs

Connection and extension cables for power packs in different country designs.

Features

DK 7200.210
Connection cable
Connection and extension cable with various connector/jack types (earthing-pin/C13/C14/C19/C20). PVC line, 3-pole.
CMC III power pack CMC III Power Unit
1 mm²
1.8 m
D, earthing-pin (type F, CEE 7/4) F/B (type E, CEE 7/5)
230 V
IEC 320 socket C13
1 pc(s).
0.21
0.213
85444290
4028177164314
E7238515
EC001576
27060402

Approvals

© Rittal 2025

Approvals

Explanations

Declaration of conformity

Tender text

Connection cable for power pack with IEC 320 IEC socket,,,,,,,,,, DK 7200.210

Country-specific designs: Germany, France, Belgium

Voltage: 230 V

The connection cable 230 V with earthing-pin plug and IEC connector is used to connect to:

- CMC-TC master
- 24 V power pack for Processing Unit II
- Active fan unit for TE
- Climate unit (connected fan)
- Voltage monitor
- Voltage expansion unit

© Rittal 2025