

# Rittal – The System.

Faster – better – everywhere.



## VX 8609.204 Divider panel

State: 29/8/2025 (Source: [rittal.com/in-en](https://www.rittal.com/in-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8609.204 - Divider panel for VX

For shielding individual enclosure cells. Thanks to the symmetry of the frame system, the divider panel can also be used at the rear. All-round, double fold for stability and to hold the seal.

## Features

|                                     |  |
|-------------------------------------|--|
| Model No.                           | VX 8609.204  |
| Product description                 | For shielding individual enclosure cells. Thanks to the symmetry of the frame system, the divider panel can also be used at the rear. All-round, double fold for stability and to hold the seal.                                 |
| Benefits                            | The divider panel may also be fitted at the rear. This allows, e.g. frequency converters for heat dissipation to be installed in a divider panel with the cooling units facing outwards and protected/finished off with a cover. |
| Material                            | Sheet steel, 1.5 mm  |
| Surface finish                      | Zinc-plated  |
| Supply includes                     | Assembly parts   |
| To fit                              | Enclosure type: VX<br>Height: = 2,000 mm<br>Depth: = 500 mm  |
| Installation options                | For mounting on the outer mounting level<br>This leaves the inner level free for further population  |
| Assembly instruction                | For baying in combination with a divider panel, an internal baying bracket 8617500 or external baying bracket 8617502 is required  |
| IP protection category to IEC 60529 | IP 54  |
| Packs of                            | 1 pc(s).   |
| Net weight                          | 9.5  |
| Gross weight                        | 10.75  |
| Customs tariff number               | 94039910   |
| EAN                                 | 4028177817784  |

# Features

|            |          |
|------------|----------|
| ETIM 9     | EC002525 |
| ECLASS 8.0 | 27182102 |