
### Rittal – The System.

Faster – better – everywhere.





# VX 8617.630 Partial mounting plates

State: 23/8/2025 (Source: rittal.com/in-en)



## VX 8617.630 - Partial mounting plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

#### **Features**

Product description  To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing platform for a diverse range of applications.  Material  Sheet steel, 2.5 mm  Surface finish  Zinc-plated  Supply includes  Assembly parts  Installation options  For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind.  Note  Adaptor rail VX is required for installing in VX SE, PC, IW  Dimensions  Width: 1,100 mm
Surface finish  Zinc-plated  Supply includes  Assembly parts  For optional installation either upright as a vertical mounting surface, or flat as a horizontal base.  Attach directly onto the enclosure section  With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure  For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind.  Note  Adaptor rail VX is required for installing in VX SE, PC, IW
Supply includes  Assembly parts  For optional installation either upright as a vertical mounting surface, or flat as a horizontal base.  Attach directly onto the enclosure section  With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure  For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind.  Note  Adaptor rail VX is required for installing in VX SE, PC, IW
Installation options  For optional installation either upright as a vertical mounting surface, or flat as a horizontal base.  Attach directly onto the enclosure section  With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure  For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind.  Note  Adaptor rail VX is required for installing in VX SE, PC, IW
surface, or flat as a horizontal base.  Attach directly onto the enclosure section  With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure  For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow ra access to the levels behind.  Note  Adaptor rail VX is required for installing in VX SE, PC, IW
Dimensions Width: 1,100 mm
Depth: 400 mm
To fit  Enclosure type: VX  VX SE  PC  Width: = 1,200 mm  Depth: = 500 mm
Packs of 1 pc(s).
Net weight 10.564

© Rittal 2025

### **Features**

Gross weight	11.12
PCF per pack (cradle-to-gate)	41.9 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	94039910
EAN	4028177919488
ETIM 9	EC000213
ECLASS 8.0	27409216

© Rittal 2025 3