Rittal - The System.

Faster – better – everywhere.





VX 8640.023

Base/plinth corner piece with base/ plinth trim panels, front and rear, 200 mm

State: 25/8/2025 (Source: rittal.com/in-en)

NCLOSURES

OWER DISTRIBUTION

LIMATE CONTROL

T INFRASTRUCTURI

SOFTWARE & SERVICE

VX 8640.023 - Base/plinth corner piece with base/plinth trim panels, front and rear, 200 mm for VX, VX IT, VX SE, TE, TS, TS IT, TP, PC, IW

Heavy-duty base/plinth corner pieces with moulded self-positioning to the enclosure, may be used with or without trim panels depending on the application. Large openings in the base/plinth corner piece for optimum access to the screw-fastening point, may be concealed with a plastic corner and baying cover.

Features

| Model No. | VX 8640.023 |
|-----------------------|---|
| Product description | Heavy-duty base/plinth corner pieces with moulded self-positioning to the enclosure, may be used with or without trim panels depending on the application. Large openings in the base/plinth corner piece for optimum access to the screw-fastening point, may be concealed with a plastic corner and baying cover. |
| Material | Base/plinth corner piece: Sheet steel Base/plinth trims: Sheet steel Corner and baying cover: Plastic |
| Colour | RAL 9005 |
| Supply includes | 4 base/plinth corner pieces, 200 mm high 4 corner covers 1 baying cover 1 base/plinth trim panel, front/rear, 200 mm high 2 base/plinth trim panels, front/rear, 100 mm high Assembly parts |
| Note | Side base/plinth trim panels finish off a base/plinth unit or provide additional stabilisation between base/plinths or enable interior configuration of the base/plinth |
| Dimensions | Height: 200 mm |
| To fit | Width: = 800 mm |
| Type rating to UL 50E | Type 1 Type 12 |

© Rittal 2025 2

Features

| Weight/pack | 9.24 kg |
|-----------------------|---------------|
| Packs of | 2 pc(s). |
| Net weight | 7.52 |
| Gross weight | 9.24 |
| Customs tariff number | 94039910 |
| EAN | 4028177958876 |
| E-Number Sweden | E3465371 |
| ETIM 9 | EC000721 |
| ETIM 8 | EC000721 |
| ECLASS 8.0 | 27182003 |

Approvals

Approvals UL + C-UL - FTTA