Rittal – The System.

Faster – better – everywhere.





SV 9661.385 Busbars E-Cu

State: 2/8/2025 (Source: rittal.com/in-en)



SV 9661.385 - Busbars E-Cu with integral holes

Suitable for direct installation in enclosures, busbar support, PE/PEN combination in conjunction with PE/PEN combination angle and baying bracket E-Cu.

Features

| Model No. | SV 9661.385 |
|------------------------------|---|
| | |
| Product description | Suitable for direct installation in enclosures, busbar supports |
| | 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/ |
| | PEN combinations in conjunction with PE/PEN combination angle |
| | and baying bracket E-Cu. |
| Material | E-Cu |
| Ø hole | 11 mm |
| Dimensions | Length: 765 mm |
| To fit | Width: = 800 mm |
| Cross-section | 5 mm x 30 mm |
| Packs of | 2 pc(s). |
| Net weight | 2.06 |
| Gross weight | 2.13 |
| Copper weight (kg per piece) | 1.03 |
| Customs tariff number | 74071000 |
| EAN | 4028177546790 |
| ETIM 9 | EC000329 |
| ECLASS 8.0 | 27400605 |

Approvals

| Approvals | UL + C-UL (listed) |
|-----------|--------------------|
|-----------|--------------------|

© Rittal 2025 2

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK

© Rittal 2025 3