Rittal – The System.

Faster - better - everywhere.





SK 3232.599 Чиллеры для IT-охлаждения

Состояние: 21.11.2025 (Источник: rittal.com/kz-ru)



SK 3232.599 - Чиллеры для IT-охлаждения

Специально для охлаждения IT-оборудования, например, LCP или воздухо-водяных теплообменников. Необходимые функции безопасности, например, резервирование регулируемых по скорости насосов, компрессоров или буферные накопители.

Функции

Арт. №	SK 3232.599
Преимущества	For data centres, the IT sector, industry, medicine, applications where reliability is a must Microchannel condensers for improved heat transfer, less refrigerant, a reduction in weight and lower air-side pressure losses Two independent cooling circuits for inbuilt redundancy Simple transportation by ISO container The air-cooled chillers are available with free cooling and in a lownoise version TCO leader: Cooling system with the lowest total cost of ownership thanks to free cooling and mix mode boost Flexible adaptation to any project Minimal noise emissions combined with maximum energy efficiency Maximum potential savings thanks to indirect free cooling
Исполнение	The Explorer Line is a range of air-cooled chillers suitable for numerous application areas. The units in this product range use high-quality components while also meeting project-specific requirements. This means that, as an established manufacturer of chillers, we can offer you a state-of-the-art, budget-optimised portfolio that can be adapted to any customer requirements thanks to outstanding flexibility. Cooling output (kW): 80 – 1200 CyberCool: Maximum energy efficiency and optimum operational reliability for complex, sophisticated cold-water solutions that don't compromise – that is what the CyberCool 2 chillers for climate-control systems stand for. They also represent a brand new end-to-end concept in which all the structural elements of the CyberCool 2 can be coordinated with each other to achieve a high standard of energy efficiency while keeping noise emissions low. The result is a series of chillers that already satisfies the requirements of the Ecodesign Directive 2021. Cooling output (kW): 50 – 1400

© Rittal 2025

Функции

Указание	The chillers are designed and quoted on a project-specific basis
Упаковка	1 шт.
Код ТНВЭД	84186900
EAN	4028177963955
ETIM 9	EC002516
ETIM 8	EC002516
ECLASS 8.0	27180713

© Rittal 2025 3