

# Rittal – The System.

Faster – better – everywhere.



## AS 4051.233

## Wire rail WT

Состояние: 11.05.2026 (Источник: [rittal.com/kz-ru](http://rittal.com/kz-ru))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AS 4051.233 - Wire rail WT

The pre-assembled wires are fed into the WT 30 wire rail with a cross-section of 1.0 mm<sup>2</sup> by the removal handling system.



## Функции

|                     |  |
|---------------------|--|
| Арт. №              | AS 4051.233  |
| Преимущества        | Проектная приемка для транслируемых процессов<br>Проектная сортировка проводов<br>Оптимальное обслуживание выемки<br>Busbar system prepared for optimum workstation order-picking<br>No wire sorting required<br>Simplifies the wiring process with step-by-step instructions in Eplan Smart Wiring<br>Ideal in conjunction with the Wire Cart for perfect workstation order picking |
| Комплект поставки   | Wire rail WT 30  |
| Указание            | This gap size indicates the maximum diameter of the wire insulation.   |
| Подходит для арт. № | 4051.205<br>4051.210<br>4051.024<br>4051.036   |
| Области применения  | For single wires with cross-section 1.0 mm <sup>2</sup> (gap size 3.0 mm)  |
| Упаковка            | 1 шт.  |
| Вес нетто           | 0,8 kg   |
| Gross weight        | 0,84 kg  |
| Код ТНВЭД           | 76169990   |

# Функции

---

Описание продукта

Wire rail, 1.0 mm<sup>2</sup> for the 15-way rail system in the WT