


# Rittal – The System.

Faster – better – everywhere.



## AS 4051.235 Wire rail WT

Состояние: 11.05.2026 (Источник: [rittal.com/kz-ru](http://rittal.com/kz-ru))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AS 4051.235 - Wire rail WT

The pre-assembled wires are fed into the WT 42 wire rail with a cross-section of 2.5 mm<sup>2</sup> by the removal handling system.



## Функции

Арт. №	AS 4051.235
Преимущества	Проектная приемка для транслируемых процессов Проектная сортировка проводов Оптимальное обслуживание выемки Busbar system prepared for optimum workstation order-picking No wire sorting required Simplifies the wiring process with step-by-step instructions in Eplan Smart Wiring Ideal in conjunction with the Wire Cart for perfect workstation order picking
Комплект поставки	Wire rail WT 42
Указание	This gap size indicates the maximum diameter of the wire insulation.
Подходит для арт. №	4051.205 4051.210 4051.024 4051.036
Области применения	For single wires with cross-section 2.5 mm <sup>2</sup> (gap size 4.2 mm)
Упаковка	1 шт.
Вес нетто	0,85 kg
Gross weight	1 kg
Код ТНВЭД	76169990

# Функции

---

Описание продукта

Wire rail, 2.5 mm<sup>2</sup> for the 15-way rail system in the WT