

Rittal – The System.

Faster – better – everywhere.



SV 3581.100 Busbars E-Cu

State: 2026.5.27 (Source: rittal.com/lt-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3581.100 - Busbars E-Cu

Length: 2400 mm/bar.



Features

| | |
|------------------------------|--|
| Model No. | SV 3581.100 |
| Material | E-Cu F30 |
| Note | May be cut individually to required length |
| Standards | DIN EN 13 601 |
| Cross-section | 15 mm x 10 mm |
| Dimensions | Length: 2,400 mm |
| Packs of | 6 pc(s). |
| Net weight | 19.35 kg |
| Gross weight | 19.36 kg |
| Copper weight (kg per piece) | 3.23 |
| Customs tariff number | 74071000 |
| ETIM 9 | EC001522 |
| ETIM 8 | EC001522 |
| ECLASS 8.0 | 27370303 |

Features

Product description

SV Busbar E-Cu, WH: 15x10 mm, L: 2400 mm

Approvals

Approvals

UL + C-UL (listed)

Explanations

Declaration of conformity

Declaration of conformity UK

Tender text

Busbar made from E-Cu

Busbars E-Cu to DIN 13601

Technical specifications

Length: 2400 mm

Dimension: 15 x 10 mm

Cross section: 150 qmm

Weight: 1.335 Kg/m

Electrical parameters

IEC: to 360 A

UL 508: 350 A

System:

Rittal RiLine60