

**Rittal – The System.**

Faster – better – everywhere.



**VX 8617.100**

**Punched section with mounting  
flange, 23 x 64 mm**

State: 2026.5.22 (Source: [rittal.com/lt-en](http://rittal.com/lt-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8617.100 - Punched section with mounting flange, 23 x 64 mm for VX, VX IT, VX SE, AX plastic

For variable, individual interior installation of the enclosure frame on the inner mounting level, and for installation in compact enclosures.



## Features

|   |   |
|---|---|
| Model No.                               | VX 8617.100   |
| Product description                     | For variable, individual interior installation of the enclosure frame on the inner mounting level, and for installation in compact enclosures.  |
| Benefits                                | Simply locate into the system punchings and screw-fasten<br>System punchings on all four sides<br>With slots at the top and bottom for cage nuts, for attaching your own components via metric screws |
| Material                                | Sheet steel   |
| Surface finish                          | Zinc-plated   |
| Supply includes                         | Assembly parts  |
| VX SE installation options              | In enclosure depth 300 mm, on the inner mounting level, in conjunction with adaptor rail for VX compatibility   |
| AX installation options                 | In enclosure width/height 300 mm, in conjunction with rail for interior installation AX and base configuration rail for AX  |
| AX stainless steel installation options | In enclosure width/height 300 mm, in conjunction with the base configuration rail   |

# Features

---

|                                     |   |
|-------------------------------------|---|
| VX base/plinth installation options | In base/plinth width/depth 300 mm on the base/plinth trim panels, in conjunction with base/plinth installation bracket<br>In base/plinth width/depth 400 mm for mounting on the base/plinth corner pieces |
| To fit                              | Enclosure type: VX IT<br>VX SE<br>AX<br>Suitable for width or height or depth: 300 mm   |
| To fit                              | Base/plinth system VX   |
| Packs of                            | 4 pc(s).  |
| Net weight                          | 1.08 kg   |
| Gross weight                        | 1.118 kg  |
| PCF per pack (cradle-to-gate)       | 5.72  |
| Customs tariff number               | 73269098  |
| ETIM 9                              | EC002620  |
| ECLASS 8.0                          | 27189234  |
| Product description                 | VX Punched section, with mounting flange 23 x 64 mm, for inner mounting level   |

# Approvals

---

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|