


# Rittal – The System.

Faster – better – everywhere.



## VX 8617.190

# Punched section with mounting flange, 23 x 64 mm

State: 2026.6.9 (Source: [rittal.com/lt-en](http://rittal.com/lt-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8617.190 - Punched section with mounting flange, 23 x 64 mm for VX, VX IT, VX SE, AX plastic

For variable, individual interior installation of the enclosure frame on the inner mounting level, and for installation in compact enclosures.



## Features

|                                     |   |
|-------------------------------------|---|
| Model No.                           | VX 8617.190   |
| Product description                 | For variable, individual interior installation of the enclosure frame on the inner mounting level, and for installation in compact enclosures.  |
| Benefits                            | Simply locate into the system punchings and screw-fasten<br>System punchings on all four sides<br>With slots at the top and bottom for cage nuts, for attaching your own components via metric screws |
| Material                            | Sheet steel   |
| Surface finish                      | Zinc-plated   |
| Supply includes                     | Assembly parts  |
| VX installation options             | In enclosure height 1800 mm, on the inner mounting level  |
| VX SE installation options          | In enclosure width/height 1800 mm, on the inner mounting level, in conjunction with adaptor rail for VX compatibility   |
| VX base/plinth installation options | In base/plinth width 1800 mm on the base/plinth trim panels, in conjunction with base/plinth installation bracket   |

# Features

---

|                               |   |
|-------------------------------|---|
| To fit                        | Enclosure type: VX<br>VX IT<br>VX SE<br>Suitable for width or height or depth: 1,800 mm |
| To fit                        | Base/plinth system VX   |
| Packs of                      | 4 pc(s).  |
| Net weight                    | 7.2 kg  |
| Gross weight                  | 7.72 kg   |
| PCF per pack (cradle-to-gate) | 40.25   |
| Customs tariff number         | 73269098  |
| ETIM 9                        | EC002620  |
| ECLASS 8.0                    | 27189234  |
| Product description           | VX Punched section, with mounting flange 23 x 64 mm, for inner mounting level           |

# Approvals

---

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|