Rittal – The System.

Faster – better – everywhere.



SV 9342.140

Base tray infill

State: 2026.11.2 (Source: www.rittal.com/lt-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

SV 9342.140 - Base tray infill for RiLine busbar systems

Rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Features

Model No.	SV 9342.140
Product description	For rear contact hazard protection when connecting the busbars from enclosure to enclosure.
Material	Thermally modified hard PVC. Fire protection corresponding to UL 94-V0
Colour	RAL 7035
Supply includes	Assembly parts
Number of poles	3-pole
To fit busbar system	PLS 1600, 3-pole
To fit Model No.	9342.000 9342.050
Connection type	Baying connection from enclosure to enclosure
Dimensions	Length: 100 mm
Packs of	2 pc(s).
Net weight	0.24 kg
Gross weight	0.281 kg
Customs tariff number	83024200
ETIM 9	EC002498
ECLASS 8.0	27379201
Product description	SV Base tray infill, L: 100 mm (PLS 1600)

Approvals

© Rittal 2026

Approvals

Approvals	UL + C-UL (listed)

Tender text

RiLine60 base tray infill
Base tray infill for the PLS 1600 special busbar system for rear contact hazard protection when connecting the busbars from enclosure to enclosure.
Technical specifications
Length: 100 mm
Width: 210 mm
Height: 43 mm
System:
Rittal RiLine60