

Rittal – The System.

Faster – better – everywhere.



SV 3031.000 Base isolator

State: 22/05/2026 (Source: rittal.com/nz-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3031.000 - Base isolator

For configuring busbar systems with any given bar centre distances and for assembling insulated PE or PEN busbars.

Features

| | |
|-----------------------|--|
| Model No. | SV 3031.000 |
| Product description | For configuring busbar systems with any given bar centre distances and for assembling insulated PE or PEN busbars. |
| Material | Duroplastic polyester (UP resin) |
| Dimensions | Thread: M10 |
| Bending strength | 6 kN |
| Torsional strength | 75 Nm |
| Tensile strength | 12 kN |
| Dimensions | Height: 40 mm |
| Packs of | 6 pc(s). |
| Net weight | 0.444 kg |
| Gross weight | 0.56 kg |
| Customs tariff number | 85469010 |
| ETIM 9 | EC002357 |
| ETIM 8 | EC002357 |
| ECLASS 8.0 | 23119201 |
| Product description | SV Base isolator, H: 40 mm, thread M10 |

Approvals

| | |
|--------------|---|
| Explanations | Declaration of conformity Declaration of conformity UK |
|--------------|---|

Tender text

SV base isolators

For configuring busbar systems with any given bar centre distances and for assembling PE or PEN bars.

Rated operating voltage: 1000 V~

Material: duroplastic polyester

Continuous operating temperature: max. 135 °C

Tensile strength: 12 kN

Bending strength: 6 Nm

Torsional strength: 75 Nm

Tightening torque: 40 Nm