

Faster – better – everywhere.





SV 3031.000 Base isolator

State: 25/08/2025 (Source: rittal.com/nz-en)

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

ENCLOSURES

SV 3031.000 - Base isolator

For configuring busbar systems with any given bar centre distances and for assembling insulated PE or PEN busbars.

Features

Model No.	SV 3031.000
Product description	For configuring busbar systems with any given bar centre distances and for assembling insulated PE or PEN busbars.
Material	Duroplastic polyester (UP resin)
Dimensions	Thread: M10
Bending strength	6 kN
Torsional strength	75 Nm
Tensile strength	12 kN
Dimensions	Height: 40 mm
Packs of	6 pc(s).
Net weight	0.444
Gross weight	0.56
Customs tariff number	85469010
EAN	4028177035270
ETIM 9	EC002357
ETIM 8	EC002357
ECLASS 8.0	23119201

Approvals

Explanations

Declaration of conformity Declaration of conformity UK

Tender text

SV base isolators For configuring busbar systems with any given bar centre distances and for assembling PE or PEN bars.

Rated operating voltage:1000 V~ Material: duroplastic polyester Continuous operating temperature: max. 135 °C Tensile strength: 12 kN Bending strength: 6 Nm Torsional strength: 75 Nm Tightening torque: 40 Nm