Rittal – The System.

Faster – better – everywhere.





AS 4050.005 **Smart Lifter**

State: 12/11/2025 (Source: rittal.com/nz-en)



AS 4050.005 - Smart Lifter

Lifting and transport device for enclosures and enclosure suites up 4.80 m long.







Features

Model No.	AS 4050.005	
Product description	Lifting and transport device for enclosures and enclosure suites up	
	to 4.80 m length.	
Benefits	Supports simple mounting of base/plinths beneath enclosures	
	Easy transportation of bayed enclosures in the workshop or at the	
	installation site	
	Flexible use for enclosures of different depths, thanks to adjustable	
	forks	
	Ergonomic working (lifting and lowering) with a torque crank	
Technical specifications	Dimensions per trolley (W x H x D): 750 x 1100 x 400 mm	
Function principle	Transportation of bayed enclosures up to a length of 4.80 m	
	Transportable enclosure depths: 400, 500, 600, 800 mm	
	Lifting of bayed enclosures up to a height of 230 mm and a weight	
	of 1800 kg	
Supply includes	2 transport trolleys	
Load capacity	1,800 kg	
Packs of	1 pc(s).	
Net weight	180	
Gross weight	195	
Customs tariff number	84279000	
EAN	4028177957558	

© Rittal 2025

Features

ETIM 9	EC001203	
ETIM 8	EC001203	
ECLASS 8.0	21079190	

Approvals

Explanations Declaration of conformity

© Rittal 2025 3