

# Rittal – The System.

Faster – better – everywhere.



## AS 4050.150 Assembly frame

State: 2/04/2026 (Source: [rittal.com/nz-en](http://rittal.com/nz-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AS 4050.150 - Assembly frame

The assembly frames are mobile, tiltable and (depending on the version) height-adjustable frames for assembling plates and enclosures.

## Features

|                                 |  |
|---------------------------------|--|
| Model No.                       | AS 4050.150  |
| Design                          | 150 MN (manually tilt-adjustable)  |
| Product description             | The assembly frames are mobile, tiltable and (depending on the version) height-adjustable frames for assembling plates and enclosures.   |
| Benefits                        | For ergonomic, back-friendly working<br>Individually positionable in the workshop, as it is independent from the power network<br>Minimum space requirements during non-use<br>Simple handling due to four castors including total lock function<br>Variable mounting plate attachment with a quick-release fastener |
| Technical specifications        | Tilt adjustment approx. 0 – 80°  |
| Supply includes                 | Assembly frame<br>1 clamping unit pack, bottom<br>1 clamping unit pack, top  |
| Note                            | With the assembly frame extension, a maximum machining area of 1900 x 1900 mm can be achieved.   |
| Machine dimensions              | Width: 1,400 mm<br>Depth: 1,250 mm   |
| Dimensions support surface max. | Width: 1,110 mm<br>Height: 1,900 mm  |
| Dimensions support surface min. | Width: 1,110 mm<br>Height: 1,230 mm  |
| Load capacity                   | 150 kg   |
| Working height                  | Working height (min.): 100 cm<br>Working height (max.): 100 cm   |
| Packs of                        | 1 pc(s).   |

# Features

---

|                       |                       |
|-----------------------|-----------------------|
| Net weight            | 123 kg                |
| Gross weight          | 138 kg                |
| Customs tariff number | 84279000              |
| ETIM 9                | EC002224              |
| ETIM 8                | EC002224              |
| ECLASS 8.0            | 36659090              |
| Product description   | Assembly frame 150 MN |

# Approvals

---

|              |                           |
|--------------|---------------------------|
| Explanations | Declaration of conformity |
|--------------|---------------------------|