
Rittal – The System.

Faster – better – everywhere.





AS 4050.750 Wire end ferrules

State: 14/11/2025 (Source: rittal.com/nz-en)



AS 4050.750 - Wire end ferrules on a reel

With plastic collar.

Features

Model No.	AS 4050.750
Product description	With plastic collar.
Technical specifications	Heat-resistant to 105 °C
Material	E-Cu, galvanic tin-plated Plastic collar: Polypropylene
Colour	Blue
Length	8 mm
AWG	14
Internal diameter	4.2 mm
For cross-section	2.5 mm ²
DIN colour code	Yes
Note	UL-certified in conjunction with the relevant tools, such as crimping machines.
Note Standards	· -
	machines.
Standards	machines. AEH DIN 46228
Standards Delivery form	machines. AEH DIN 46228 Taped
Standards Delivery form Packs of	machines. AEH DIN 46228 Taped 3,000 pc(s).
Standards Delivery form Packs of Net weight	machines. AEH DIN 46228 Taped 3,000 pc(s).
Standards Delivery form Packs of Net weight Customs tariff number	machines. AEH DIN 46228 Taped 3,000 pc(s). 3 85369010
Standards Delivery form Packs of Net weight Customs tariff number EAN	machines. AEH DIN 46228 Taped 3,000 pc(s). 3 85369010 4028177805187

© Rittal 2025

Approvals

Approvals

UL + C-UL (listed)

UR

© Rittal 2025 3