

# Rittal – The System.

Faster – better – everywhere.



## IW 6900.301

## PC enclosure systems

State: 22/05/2026 (Source: [rittal.com/nz-en](http://rittal.com/nz-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# IW 6900.301 - PC enclosure systems Enclosure for tower PC

Enclosure for standard commercially available tower PCs.

## Features

|                     |   |
|---------------------|---|
| Model No.           | IW 6900.301   |
| Design              | Roof prepared for mounting worktop or for mounting below surfaces<br>Base prepared for mounting cast feet or for mounting on surfaces   |
| Product description | Standard commercially available tower PCs, up to W/H/D: 250 x 530 x 600 mm (max. 20 kg) may be attached securely to the base screw-fastened to the door using the retaining strap supplied loose. The rear interfaces of the PC are readily accessible with the door open. Because the fan-and-filter unit is already pre-installed, the enclosure is ready for immediate use.                          |
| Material            | Enclosure: Sheet steel<br>Door: Sheet steel<br>Design strips: Aluminium   |
| Surface finish      | Enclosure: Powder-coated, textured paint<br>Door: Powder-coated   |
| Colour              | Enclosure: RAL 7035<br>Door: RAL 7015<br>Design strips: RAL 7035  |
| Supply includes     | Enclosure of all-round solid construction<br>R/h door hinge<br>Door with base screw-fastened on the inside<br>Side cam lock<br>Double-bit lock insert<br>Rear panel with two cut-outs for use of the connector gland supplied loose<br>Cable gland M20, brass, nickel-plated<br>Outlet filter fitted in left side panel<br>Filter fan fitted in right side panel, 55 m <sup>3</sup> /h, 230 V, 50/60 Hz |

# Features

---

|                                     |  |
|-------------------------------------|--|
| Dimensions                          | Width: 760 mm<br>Height: 760 mm<br>Depth: 300 mm           |
| IP protection category to IEC 60529 | IP 54 in conjunction with connector gland supplied loose   |
| Protection category NEMA            | NEMA 12 in conjunction with connector gland supplied loose |
| Basic material                      | Aluminium  |
| Packs of                            | 1 pc(s).   |
| Net weight                          | 34.2 kg  |
| Gross weight                        | 36 kg  |
| Customs tariff number               | 94032080   |
| ECLASS 8.0                          | 27180501   |

# Approvals

---

|              |                           |
|--------------|---------------------------|
| Explanations | Declaration of conformity |
|--------------|---------------------------|