

Rittal – The System.

Faster – better – everywhere.



VX 8100.711 Levelling component

State: 9/07/2026 (Source: rittal.com/nz-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 8100.711 - Levelling component for base/plinth system VX

For retrospective levelling on uneven floors at the installation site up to a maximum of 15 mm. Installed through the base/plinth corner piece.

Features

| | |
|-----------------------|---|
| Model No. | VX 8100.711 |
| Product description | For retrospective levelling on uneven floors at the installation site up to a maximum of 15 mm. Installed through the base/plinth corner piece. Adjusted using a SW 19 hex spanner. |
| Benefits | A door offset caused by uneven flooring can be corrected Installed on the assembled enclosure, i.e. no need to plan levelling in advance |
| Supply includes | Assembly parts |
| Load capacity | Max. admissible load: 2500 N per levelling component |
| Note | For use in combinations of VX, VX IT, VX SE, TX , TS, TS IT, PC, IW, TP with the base/plinth system VX Check the load capacity of the floor. |
| Dimensions | Height: 200 mm |
| Weight/pack | 1.67 kg |
| Packs of | 4 pc(s). |
| Net weight | 1.6 kg |
| Customs tariff number | 73181900 |
| ETIM 9 | EC000721 |
| ECLASS 8.0 | 27182003 |
| Product description | VX Levelling component, for base/plinth H: 200 mm |