
Rittal – The System.

Faster – better – everywhere.





VX 8617.510 Partial mounting plates

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 24/08/2025 (Source: rittal.com/nz-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

VX 8617.510 - Partial mounting plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

Features

VX 8617.510
To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.
Sheet steel, 2.5 mm
Zinc-plated
Assembly parts
600 mm
For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow rapid access to the levels behind.
Adaptor rail VX is required for installing in VX SE, PC, IW
Width: 500 mm Depth: 300 mm

Features

To fit	Enclosure type: VX
	VX SE
	PC
	Width: = 400 mm
	= 600 mm
	Depth: = 400 mm
	= 600 mm
Packs of	1 pc(s).
Net weight	4
Gross weight	4.42
PCF per pack (cradle-to-gate)	16.8 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	94039910
EAN	4028177919365
ETIM 9	EC000213
ECLASS 8.0	27409216