

Faster – better – everywhere.





## VX 8617.560 Partial mounting plates

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 5/08/2025 (Source: rittal.com/nz-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

## VX 8617.560 - Partial mounting plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

## Features

VX 8617.560
To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.
Sheet steel, 2.5 mm
Zinc-plated
Assembly parts
800 mm
For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow rapid access to the levels behind.
Adaptor rail VX is required for installing in VX SE, PC, IW
Width: 700 mm Depth: 300 mm

## Features

To fit	Enclosure type: VX
	VX SE
	PC
	Width: = 400 mm
	= 800 mm
	Depth: = 400 mm
	= 800 mm
Packs of	1 pc(s).
Net weight	5.576
Gross weight	5.78
PCF per pack (cradle-to-gate)	22 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	94039910
EAN	4028177919419
ETIM 9	EC000213
ECLASS 8.0	27409216