

# Rittal – The System.

Faster – better – everywhere.



## SV 9670.208

## Baying systems TS 8

State: 6/04/2026 (Source: [rittal.com/nz-en](http://rittal.com/nz-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9670.208 - Baying systems TS 8 Busbar enclosures

Baying systems TS 8 as empty enclosure to accommodate vertical busbar systems.



## Features

Model No.	SV 9670.208
Material	Sheet steel
Surface finish	Enclosure frame: Dipcoat-primed Roof, rear panel, front trim panel, gland plate: Dipcoat primed, powder-coated on the outside, textured paint
Colour	RAL 7035
Supply includes	Enclosure frame Front trim panel Roof Rear panel Gland plate
Note	The busbar enclosure is on one base/plinth together with the main enclosure, i.e. please select a base/plinth for the main enclosure which is 200 mm wider.
Test specification	IEC 61 439-1/-2 IEC 61 641
IP protection category to IEC 60 529	IP 55
Dimensions	Width: 200 mm Height: 2,000 mm Depth: 800 mm
Packs of	1 pc(s).

# Features

---

Net weight	40 kg
Gross weight	45 kg
Customs tariff number	94032080
ETIM 9	EC002525
ECLASS 8.0	27180101
Product description	SV Busbar enclosure, WHD: 200x2000x800 mm, sheet steel

# Approvals

---

Certificates	Surface finish
Explanations	Manufacturer's declaration Declaration of conformity Declaration of conformity UK