



SV 9684.960

Contact hazard protection cover plate

State: 18/06/2026 (Source: rittal.com/nz-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9684.960 - Contact hazard protection cover plate for enclosures with NH slimline fuse-switch disconnectors

To cover outgoing sections with NH slimline fuse-switch disconnectors so that they are safe from finger contact.

Features

Model No.	SV 9684.960
Product description	To cover outgoing sections with NH slimline fuse-switch disconnectors and busbar system in the rear enclosure section so that they are safe from finger contact (IP 2X).
Material	Sheet steel, 1.5 mm
Surface finish	Zinc-plated
Supply includes	4 side panels (left/right side) 2 side panels (top/bottom) Assembly parts
Usable width for Flat-PLS	400 mm
Note	The specified installation width when using the contact hazard protection cover only applies when using busbar support 9686.060/9686.070
To fit	Enclosure type: TS Width: = 600 mm
Packs of	1 pc(s).
Net weight	5.2 kg
Gross weight	6 kg
PCF per pack (cradle-to-gate)	22.9 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	73269098
ETIM 9	EC001638

Features

ECLASS 8.0

27142116

Product description

SV Contact hazard protection cover, plate Form 2b (fuse-switch disconnecter, section), for VX (W: 600 mm)