Rittal – The System.

Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

SK 3108.024 Enclosure internal fan

CLIMATE CONTROL

State: 24/08/2025 (Source: rittal.com/ro-ro)

POWER DISTRIBUTION




FRIEDHELM LOH GROUP

ENCLOSURES

SK 3108.024 - Enclosure internal fan

To prevent hot-spots inside the enclosure and support the air routing of active enclosure climate control components.



Features

Model No.	SK 3108.024	
Product description	To prevent hot-spots and support the air routing of active enclosur climate control components. Adjustable in two axes. Attached to the frame section. Several fans may be cascaded using the quick- release clamping strip.	
Supply includes	Complete unit with axial fan ready for connection Snap-on pivot device Assembly parts	
Rated operating voltage	24 V (DC)	
Power consumption Pel	With DC: 3.5 W	
Rated current max.	With DC: 0.15 A	
Packs of	1 pc(s).	
Net weight	0.8	
Gross weight	0.978	
Customs tariff number	84145915	
EAN	4028177220508	
ETIM 9	EC000320	

Features

ETIM 8	EC000320	
ECLASS 8.0	27180716	
Approvals		

Explanations

Declaration of conformity