

# Rittal – The System.

Faster – better – everywhere.



## SK 3124.310 Blue e IoT adaptor

State: 16/01/2026 (Source: [rittal.com/ro-ro](http://rittal.com/ro-ro))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3124.310 - Blue e IoT adaptor

In conjunction with the IoT interface (3124.300), the adaptor supports intelligent networking of cooling units in the Blue e series.

## Features

Model No.	SK 3124.310
Product description	In conjunction with the IoT interface, the adaptor supports intelligent networking of cooling units in the Blue e series.
Benefits	Digitalisation and networking offer huge opportunities for every company. In conjunction with the IoT interface (3124.300), cooling units in the Blue e series are easily connected to Industry 4.0 environments without affecting the automation logic. Plug and run: The IoT interface is quickly and conveniently configured and commissioned via the integral Web server, no programming required. Condition monitoring of up to 10 cooling units in a master/slave arrangement
Material	Plastic Front: Smooth Enclosure: Textured
Colour	Front: RAL 9005 Enclosure: RAL 7035
Supply includes	Blue e IoT adaptor Installation and Short User's Guide Mounting bracket Assembly parts Sub-D to RJ11 connection cable, length 150 mm Mounting clips for securing top-hat rails
Interfaces	1 x Modbus RTU 1 x cooling unit interface

# Features

---

To fit Model No.	3303.5/6xx 3304.5/6xx 3305.5/6xx 3328.5/6xx 3329.5/6xx 3332.5/6xx 3361.5/6xx 3366.5/6xx 3377.5/6xx 3307.7xx 3310.7xx 3382.5/6xx 3359.5/6xx 3383.5/6xx 3273.500 3384.5/6xx 3385.5/6xx 3386.5/6xx 3387.5/6xx 9776.550
------------------	--

---

Dimensions	Width: 80 mm Height: 30 mm Depth: 40 mm
------------	---

---

Operating temperature range	0 °C...55 °C
-----------------------------	--------------

---

IP protection category to IEC 60529	IP 30
-------------------------------------	-------

---

Packs of	1 pc(s).
----------	----------

---

Net weight	0.18
------------	------

---

Gross weight	0.2
--------------	-----

---

Customs tariff number	85234920
-----------------------	----------

---

EAN	4028177939059
-----	---------------

---

ETIM 9	EC001099
--------	----------

---

ETIM 8	EC001099
--------	----------

---

ECLASS 8.0	27143136
------------	----------

---

# Approvals

---

Certificates

EAC

---

Explanations

Declaration of conformity

# Tender text

SK 3124.310

Description: In conjunction with the IoT interface (3124.300), the adaptor supports intelligent networking of cooling units in the Blue e series.

Benefits:

Digitalisation and networking offer huge opportunities for every company.

In conjunction with the IoT interface (3124.300), cooling units in the Blue e series are easily connected to Industry 4.0 environments without affecting the automation logic.

Plug and run: The IoT interface is quickly and conveniently configured and commissioned via the integral Web server, no programming required.

Condition monitoring of up to 10 cooling units in a master/slave arrangement.

Dimensions [WxHxD]: 80 x 30 x 40 mm

To fit: TopTherm cooling units with e-Comfort controller

Material: Plastic; Front: Smooth; Enclosure: Textured

Colour: Front RAL 9005; Enclosure RAL 7035

Operation range : 0°C to 55°C

Protection category IP to IEC 60 529: IP 30

Supply includes: Blue e IoT adaptor, Installation and Short User's Guide, Mounting bracket, Assembly parts, Sub-D to RJ11 connection cable, Mounting clips for securing top-hat rails

Interface: 1 x Modbus RTU, 1 x interface cooling unit