
Rittal – The System.

Faster - better - everywhere.





SV 3515.000 PLS busbar connectors

State: 04/08/2025 (Source: rittal.com/ro-ro)



SV 3515.000 - PLS busbar connectors

For connecting PLS special busbars, no drilling required.



Features

| Model No. | SV 3515.000 |
|------------------------------|---|
| Product description | For connecting the PLS special busbars, no drilling required. |
| Material | E-Cu |
| Surface finish | Nickel-plated |
| To fit busbars | PLS 1600 |
| Connection type | Baying connection from enclosure to enclosure |
| Packs of | 3 pc(s). |
| Net weight | 3.81 |
| Gross weight | 4.015 |
| Copper weight (kg per piece) | 1.27 |
| Customs tariff number | 85369010 |
| EAN | 4028177043534 |
| ETIM 9 | EC000713 |
| ETIM 8 | EC000713 |
| ECLASS 8.0 | 27400606 |
| | |

© Rittal 2025 2

Approvals

| Approvals | ABS |
|--------------|------------------------------|
| | DNV-GL |
| | Lloyds Register of Shipping |
| | UL + C-UL (listed) |
| Explanations | Declaration of conformity |
| | Declaration of conformity UK |

Tender text

PLS 1600 busbar connector

System

Rittal RiLine60

Description

PLS 1600 busbar connector for connecting the

PLS 1600 special busbar

Design

Baying connection from enclosure to enclosure

Material properties

E-Cu, nickel-plated

Screw M10

Tightening torque

20 Nm

Note

The use of cross members 9340240/230 is compulsory for UL 508A applications.

© Rittal 2025