


# Rittal – The System.

Faster – better – everywhere.



## SV 3582.000 Busbars E-Cu

State: 13/05/2026 (Source: [rittal.com/ro-ro](http://rittal.com/ro-ro))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 3582.000 - Busbars E-Cu

Length: 2400 mm/bar.



## Features

Model No.	SV 3582.000
Material	E-Cu F30
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	20 mm x 5 mm
Dimensions	Length: 2,400 mm
Packs of	6 pc(s).
Net weight	12,6 kg
Gross weight	12,8 kg
Copper weight (kg per piece)	2,15
Customs tariff number	74071000
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303
Product description	SV Busbar E-Cu, WH: 20x5 mm, L: 2400 mm

# Approvals

---

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK

---

## Tender text

Busbar made from E-Cu  
Busbars E-Cu to DIN 13601  
Technical specifications  
Length: 2400 mm  
Dimension: 20 x 5 mm  
Cross section: 99.1 qmm  
Weight: 0882 Kg/m  
Electrical parameters  
IEC: to 319 A  
UL 508: 230 A  
System:  
Rittal RiLine60