## Rittal – The System.

Faster – better – everywhere.





# HD 4000.062 Command panel HD

State: 16/11/2025 (Source: rittal.com/ro-ro)



### HD 4000.062 - Command panel HD

Monitors, PCs and other components with displays are hygienically and securely protected in the command panel. The roof tilt of 30° prevents objects from being deposited on it, and allows liquids to run off quickly.

#### **Features**

Model No.	HD 4000.062
Benefits	Roof angled forwards by 30°
	Height-adjustable mounting plate for screen up to 24"
	Holder for desktop TFT, height-adjustable for screens up to 24'
Material	Enclosure and door: Stainless steel 1.4301 (AISI 304)
	Lock insert HD: Stainless steel 1.4404 (AISI 316L)
	Viewing window: Polycarbonate
	Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600
	Viewing window: Polycarbonate
Surface finish	Enclosure and door: Brushed, grain 400, peak-to-valley height
	< 0.8 μm
	Seal: Blue, dyed (RAL 5010)
Supply includes	Enclosure of all-round solid construction
	Door with viewing window and inserted seal
	R/h door hinge
	Holder for desktop TFT with VESA 75/100 locator
Options	without viewing window
	Mounting panel instead of a mounting plate
	Cut-out for touch panel instead of viewing window
	HD keyboard support
Dimensions	Width: 810 mm
	Height, front: 692 mm
	Height rear: 848 mm
	Depth: 266 mm
Visible area	Viewing window width: 535 mm
	Viewing window height: 325 mm
Material thickness - enclosure	1,5 mm

© Rittal 2025

#### **Features**

Material thickness - door	2 mm
Protection category NEMA	NEMA 4X
IK Code	IK08
Packs of	1 pc(s).
Net weight	33.2
Gross weight	33.2
Customs tariff number	94032080
EAN	4028177709539
ETIM 9	EC000261
ETIM 8	EC000261
ECLASS 8.0	27180101

© Rittal 2025 3