

# Rittal – The System.

Faster – better – everywhere.



## AS 4051.231 Wire rail WT

State: 06/04/2026 (Source: [rittal.com/ro-ro](http://rittal.com/ro-ro))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AS 4051.231 - Wire rail WT

The pre-assembled wires are fed into the WT 26 wire rail with a cross-section of 0.5 mm<sup>2</sup> by the removal handling system.



## Features

Model No.	AS 4051.231
Benefits	<ul style="list-style-type: none"><li>Project-specific order picking for downstream processes</li><li>Project-specific sorting of the wires</li><li>Optimum removal handling</li><li>Busbar system prepared for optimum workstation order-picking</li><li>No wire sorting required</li><li>Simplifies the wiring process with step-by-step instructions in Eplan Smart Wiring</li><li>Ideal in conjunction with the Wire Cart for perfect workstation order picking</li></ul>
Supply includes	Wire rail WT 26
Note	This gap size indicates the maximum diameter of the wire insulation.
To fit Model No.	<ul style="list-style-type: none"><li>4051.205</li><li>4051.210</li><li>4051.024</li><li>4051.036</li></ul>
Applications	For single wires with cross-section 0.5 mm <sup>2</sup> (gap size 2.6 mm)
Packs of	1 pc(s).
Net weight	0,85 kg
Gross weight	1 kg
Customs tariff number	76169990

# Features

---

Product description

Wire rail, 0.5 mm<sup>2</sup> for the 15-way rail system in the WT