

# Rittal – The System.

Faster – better – everywhere.



## VX 9666.956

# Bayed enclosure system VX25

State: 09/06/2026 (Source: [rittal.com/ro-ro](http://rittal.com/ro-ro))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 9666.956 - Bayed enclosure system VX25 Distribution enclosure

Baying systems VX as distribution enclosures, prepared for ISV installation modules



## Features

|                 |  |
|-----------------|--|
| Model No.       | VX 9666.956  |
| Material        | Sheet steel  |
| Surface finish  | Enclosure frame: Dipcoat-primed<br>Door(s), roof, rear panel: Dipcoat-primed, powder-coated on the outside, textured paint<br>Gland plates: Zinc-plated  |
| Colour          | RAL 7035   |
| Supply includes | Enclosure frame<br>Door(s)<br>Door hinged on the right, may be swapped to the left<br>Gland plates<br>Rear panel<br>Roof plate<br>Lock: 3 mm double-bit  |
| Number of doors | 1  |
| Note            | For 600 mm wide distribution enclosures, please use VX basic enclosures<br>For a base/plinth height of 200 mm, 2 packs each of plinth corner pieces, 100 mm and base/plinth trim panels, 100 mm are required |

# Features

---

|                                     |  |
|-------------------------------------|--|
| IP protection category to IEC 60529 | IP 55  |
| Protection category NEMA            | NEMA 12  |
| Test specification                  | IEC 61 439-1/-2  |
| Dimensions                          | Width: 850 mm<br>Height: 2,000 mm<br>Depth: 400 mm   |
| Packs of                            | 1 pc(s).   |
| Net weight                          | 84,2 kg  |
| Gross weight                        | 85,8 kg  |
| PCF per pack (cradle-to-gate)       | 273.5 kg CO2 eq (Cat B)  |
| Note on PCF category                | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number               | 94032080   |
| ETIM 9                              | EC000214   |
| ECLASS 8.0                          | 27142409   |
| Product description                 | VX Distribution enclosure (ISV), WHdepth 850x2000x400 mm, sheet steel, single-door                             |

# Approvals

---

|              |                              |
|--------------|------------------------------|
| Approvals    | Bureau Veritas<br>DNV        |
| Certificates | Surface finish               |
| Explanations | Declaration of conformity UK |