

Rittal – The System.

Faster – better – everywhere.



SR 1997.235 Installation kit

State: 22/05/2026 (Source: rittal.com/rs-sr)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SR 1997.235 - Installation kit for swing frame, large, with trim panel

For installing a large swing frame with trim panel.

Features

| | |
|--------------------------------------|---|
| Model No. | SR 1997.235 |
| Material | Sheet steel |
| Colour | RAL 7035 |
| Supply includes | Assembly parts for mounting on the enclosure |
| Opening angle | 180° |
| Installation options | On swing frame with 482.6 mm (19") level, side On swing frame with 482.6 mm (19") level, central |
| Load capacity (static) | 1.200 N |
| Note to permissible static load max. | Maximum load 800 N with the TS mounting plate slide rail dismantled. |
| To fit | Enclosure type: TS SE Width: = 800 mm |
| To fit enclosure type | TS SE |
| Packs of | 1 pc(s). |
| Net weight | 5,804 kg |
| Gross weight | 6,109 kg |
| Customs tariff number | 83024900 |
| ETIM 9 | EC002625 |
| ETIM 8 | EC002625 |
| ECLASS 8.0 | 27189234 |

Features

Product description

SR Installation kit for swing frame, large, with cover, with 180°-hinge,
Load capacity < 1200 N

Tender text

Installation kit for swing frames in network enclosures

With the installation kit swing frames can be installed in a 800 mm wide network enclosure. The installation kit is attached to the 25 mm DIN pitch pattern of holes and is depth-adjustable. If the swing frame is partially installed in the network enclosure, it is also height-adjustable in the 25 mm pitch pattern of holes. The opening angle of the swing frame is 180°

Material: sheet steel

Colour: RAL 7035