

Rittal – The System.

Faster – better – everywhere.



DK 7829.200

Central earthing point

State: 10/06/2026 (Source: rittal.com/rs-sr)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



DK 7829.200 - Central earthing point

For connecting earth straps and earthing braids to the vertical and horizontal enclosure profile.

Features

| | |
|-------------------------------|--|
| Model No. | DK 7829.200 |
| Product description | For connecting earth straps, earthing braids to the vertical and horizontal enclosure section. The connection bracket is connected to the enclosure frame with 2 screws and is securely contacted. Earth connection is carried out via the threaded bolt M8 x 20 mm. |
| Material | Sheet steel |
| Surface finish | Zinc-plated |
| Supply includes | 1 connection bracket 2 assembly screws 1 serrated washer 1 nut M8 1 contact washer M8 1 washer |
| Packs of | 1 pc(s). |
| Net weight | 0,037 kg |
| Gross weight | 0,038 kg |
| PCF per pack (cradle-to-gate) | 0.1 kg CO2 eq (Cat B) |
| Note on PCF category | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number | 73269098 |
| ETIM 9 | EC001503 |
| ECLASS 8.0 | 27149219 |
| Product description | DK Central earthing point |

Tender text

Central earthing point

Central earthing point,

For mounting in a VX, VX IT, TS IT base frame.

Central earthing bolts (M8 x 20 mm) for the domestic earth.

Material: Sheet steel