

Rittal – The System.

Faster – better – everywhere.



SG 2368.002

Connection component

State: 08/07/2026 (Source: rittal.com/sg-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SG 2368.002 - Connection component for signal pillar, modular

Optionally for conduit or wall/base mounting. Screwless spring terminals in the connection component. With cover for optical components. Contact hazard protection to VDE.

Features

Model No.	SG 2368.002
Design	for wall/base mounting
Product description	Optionally for conduit or wall/base mounting. Screwless spring terminals in the connection component. With cover for optical components. Contact hazard protection to VDE.
Benefits	Simple assembly and contact via bayonet fastener.
Function principle	A modular layout is possible with connection, optical and acoustic components and a label panel
Material	Enclosure of polyamide
Colour	Black
Signal pillar	modular
Protection category to IEC 60 529	IP 65
Rated operating voltage	12 V - 230 V (AC/DC)
Packs of	1 pc(s).
Net weight	0.089 kg
Gross weight	0.099 kg
Customs tariff number	85444290
ETIM 9	EC001152
ETIM 8	EC001152
ECLASS 8.0	27371232
Product description	SG connection component for wall mounting

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity
