


# Rittal – The System.

Faster – better – everywhere.



## SK 3201.960 Toroidal transformer

State: 09/09/2025 (Source: [rittal.com/sg-en](https://www.rittal.com/sg-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3201.960 - Toroidal transformer Primary connection 115 V/400 V

For power supply to wall-mounted 230 V air/water heat exchangers. Available with 115 V or 400 V primary connection.

## Features

|                                      |   |
|--------------------------------------|---|
| Model No.                            | SK 3201.960   |
| Product description                  | For the power supply of wall-mounted 230 V air/water heat exchangers. Available with 115 V or 400 V primary connection.   |
| Technical specifications             | Output 110 VA<br>Voltage tolerance $\pm 10\%$<br>Primary connection 3500 mm long<br>Secondary connection 1500 mm long<br>For mounting on a 35 mm support rail EN 50 022 |
| Supply includes                      | Toroidal transformer<br>Assembly parts  |
| Packs of                             | 1 pc(s).  |
| Snap-mounting to support rails TS 35 | Yes   |
| To fit Model No.                     | 3363.X0X<br>3364.X0X<br>3212.230<br>3214.100<br>3214.700<br>3215.100<br>3215.700  |
| Dimensions                           | Width: 105 mm<br>Height: 123 mm<br>Depth: 55 mm   |
| Rated operating voltage              | 230 V (secondary), 1~, 50 Hz/60 Hz<br>400 V (primary), 2~, 50 Hz/60 Hz  |
| Net weight                           | 2.2   |

# Features

|                       |               |
|-----------------------|---------------|
| Gross weight          | 3.214         |
| Customs tariff number | 85043121      |
| EAN                   | 4028177690226 |
| ETIM 9                | EC000855      |
| ETIM 8                | EC000855      |
| ECLASS 8.0            | 27180704      |

# Approvals

|              |                           |
|--------------|---------------------------|
| Certificates | EAC                       |
| Explanations | Declaration of conformity |