

Rittal – The System.

Faster – better – everywhere.



AS 4051.213

Wire feed block WT 12

State: 21/05/2026 (Source: rittal.com/sg-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4051.213 - Wire feed block WT 12

The WT 12 wire infeed block is used to securely and flexibly guide the wires to the Wire Terminal WT C fully automated wire processing machine. The wire infeed block is individually fitted using a quick-lock mechanism.



Features

Model No.	AS 4051.213
Design	plug-type
Product description	The WT 12 wire infeed block is used to securely and flexibly guide the wires to the Wire Terminal WT C fully automated wire processing machine. The wire infeed block is individually fitted using a quick-lock mechanism.
Benefits	Secure wire infeed via a new type of wire routing system including quick-lock mechanism Wire infeed into the wire feed block via a secure tube. Guarantees flexible, simple exchange of the wires
Technical specifications	The Wire Terminal can accommodate a total of three wire infeed blocks for max. 36 wires Covering 12 wire types per block
Supply includes	Wire feed block WT 12
To fit Model No.	4051.205 4051.210
Packs of	1 pc(s).
Net weight	0.8 kg
Gross weight	1.068 kg
Customs tariff number	84798997