


Rittal – The System.

Faster – better – everywhere.



KX 1514.000

Priključna omarica KX, jeklena pločevina, brez plošče z uvodnicami

State: 12.5.2026 (Source: rittal.com/si-sl)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



KX 1514.000 - Priključna omarica KX, jeklena pločevina, brez plošče z uvodnicami

Majhno ohišje KX, priključna omarica KX, brez tesnilne plošče omogoča prilagodljivo notranjo namestitev ob hkratnem ohranjanju visoke stopnje zaščite.



Features

| | |
|------------------------------|--|
| Št. Modela | KX 1514.000 |
| Opis izdelka | Majhno ohišje KX, priključna omarica KX, brez plošče z uvodnicami omogoča prilagodljivo notranjo zasnovano z visoko stopnjo zaščite. |
| Material | Ohišje: jeklena pločevina Pokrov: jeklena pločevina, penasto PU tesnilo po celotnem obodu |
| Površinska obdelava | Ohišje in pokrov: temeljni premaz, prašno barvana zunanost, teksturirana barva |
| Barva | RAL 7035 |
| Obseg dobave | Ohišje s pokrovom Mini odmična ključavnica |
| Protection category NEMA | NEMA 1 NEMA 3R NEMA 4 NEMA 12 |
| Razred zaščite po IEC 60 529 | IP 66 |

Features

| | |
|-----------------------------------|--|
| Tipaska ocena po UL 50E | Type 1 Type 3R Type 4 Type 12 |
| IK koda | IK08 |
| Mere | Širina: 150 mm Višina: 150 mm Globina: 80 mm |
| Debelina materiala - pokrov | 1,25 mm |
| Debelina materiala - ohišje | 1,25 mm |
| Osnovni material | Sheet steel |
| Paketi | 1 pc(s). |
| Neto teža | 1,012 kg |
| Bruto teža | 1,207 kg |
| PCF na paket (od zibelke do vrat) | 5,9 kg CO2 eq (Cat B) |
| Opomba o kategoriji PCF | Kategorija B: PCF vrednost (od zibelke do vrat) na podlagi teže izdelka, približno izračunana in samodeklarirana |
| Carinska tarifna številka | 84879059 |
| ETIM 9 | EC000261 |
| ETIM 8 | EC000261 |
| ECLASS 8.0 | 27180101 |
| Opis izdelka | KX Terminal box, WHD: 150x150x80 mm, sheet steel, without mounting plate, with cover, without gland plate |

Approvals

| | |
|-----------|--|
| Approvals | Bureau Veritas DNV Lloyds Register UL + C-UL (listed) |
|-----------|--|

Approvals

Certificates

Protection category

Explanations

Manufacturer's declaration

Declaration of conformity

Declaration of conformity UK

PCF-declaration