

Rittal – The System.

Faster – better – everywhere.



SV 3032.000

Osnovni izolator

State: 21.5.2026 (Source: rittal.com/si-sl)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3032.000 - Osnovni izolator

Za konfiguracijo sistemov zbiralnih sponk s poljubnimi središčnimi razdaljami in za sestavljanje izoliranih PE ali PEN zbiralnih sponk.

Features

Št. Modela	SV 3032.000
Opis izdelka	Za realizacijo sistemov zbiralnih sponk s poljubnimi medosnimi razdaljami zbiralnih sponk in za izdelavo izoliranih PE ali PEN zbiralnih sponk.
Material	Duroplastični poliester (UP smola)
Mere	Navoj: M10
Bending strength	6 kN
Torsional strength	90 Nm
Tensile strength	13 kN
Mere	Višina: 50 mm
Paketi	6 pc(s).
Neto teža	0,894 kg
Bruto teža	1,101 kg
Carinska tarifna številka	85469010
ETIM 9	EC002357
ETIM 8	EC002357
ECLASS 8.0	23119201
Opis izdelka	SV Base isolator, H: 50 mm, thread M10

Approvals

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK