

Rittal – The System.

Faster – better – everywhere.



SK 3176.000 Front outlet grille 2 U

State: 14.2.2026 (Source: [rittal.com/si-sl](https://www.rittal.com/si-sl))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3176.000 - Front outlet grille 2 U for tangential fans

Front outlet grille 2 U for tangential fans to expel the hot air to the outside from the upper section of the enclosure. Two grilles may be used for natural convection.

Features

| | |
|-----------------------|---|
| Model No. | SK 3176.000 |
| Product description | This front outlet grille is required if a 482.6 mm (19") cross-flow blower (SK 3144.000/SK 3145.000) is used in the lower section of the electronic enclosure and the hot air is to be expelled to the outside from the upper section of the enclosure. The design of the grille matches that of the intake grille in the cross-flow blower. These grilles can also be used as simple inflow and outflow grilles with natural convection. |
| Packs of | 1 pc(s). |
| Net weight | 0.35 |
| Gross weight | 0.36 |
| Customs tariff number | 39269097 |
| EAN | 4028177038196 |
| ETIM 9 | EC002513 |
| ETIM 8 | EC002513 |
| ECLASS 8.0 | 27180706 |

Approvals

| | |
|--------------|-----|
| Certificates | EAC |
|--------------|-----|