

Rittal – The System.

Faster – better – everywhere.



DK 5502.020

Montažna plošča ventilatorja

State: 7.5.2026 (Source: rittal.com/si-sl)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



DK 5502.020 - Montažna plošča ventilatorja za VX IT, TS IT, TX CableNet

For active ventilation of the VX IT, TS IT or TE 8000, depending on the version.



Features

Št. Modela	DK 5502.020
Aplikacije	Za uporabo v izrezu, integriranem v strešno ploščo
Barva	RAL 7035
Obseg dobave	1 ventilatorska enota 2 ventilatorja 1 termostat Priključni kabel, odprt Sestavni deli
Pretok zraka na ventilator (neoviran pretok zraka)	160/180
Nazivna delovna napetost	230 V, 1~, 50 Hz/60 Hz
Mere	Širina: 340 mm Višina: 54 mm Globina: 550 mm
Pretok zraka ventilatorjev (neoviran pretok zraka)	1514
Možnosti namestitve	V VX IT s Š x G (mm): 800 x 800 / 800 x 1000 / 800 x 1200 V TS IT s Š x G (mm): 800 x 800 / 800 x 1000 / 800 x 1200 V TE 8000 s Š x G (mm): 600 x 600 / 600 x 800 / 600 x 1000 / 800 x 600 / 800 x 800 / 800 x 1000

Features

Opomba	Navedena stopnja hrupa se nanaša na prvi ventilator Priklop prek razdelilne omarice ali priključka, specifičnega za državo
Stopnja hrupa na ventilator	37 dB(A)
Primerno za	Vrsta ohišja: VX IT TS IT
Delovno temperaturno območje	5 °C...55 °C
Paketi	1 pc(s).
Neto teža	4,3 kg
Bruto teža	4,38 kg
Carinska tarifna številka	84149000
ECLASS 8.0	27189272
Opis izdelka	DK Fan mounting plate, for use in the roof plate, incl. 2 fans, may be expanded to up to 6 fans max., WHD: 340x59x550 mm

Approvals

Explanations	Declaration of conformity UK
--------------	------------------------------