

Rittal – The System.

Faster – better – everywhere.



DK 7113.000

Ozemljitvena tirnica, vodoravna

State: 22.5.2026 (Source: rittal.com/si-sl)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



DK 7113.000 - Ozemljitvena tirnica, vodoravna

Letev za izenačevanje potencialov, tokovna nosilnost približno 200 A.

Features

Št. Modela	DK 7113.000
Obseg dobave	Ozemljitvena tirnica iz E-Cu 57 po DIN EN 12 163, DIN EN 13 601, 15 x 5 mm 20 priključnih točk z vijaki M5 2 ozemljitvena priključka 25 mm ² 2 izolatorja Sestavni deli
Mere	Širina: 15 mm Višina: 5 mm Dolžina: 450 mm
Primerno za	Vrsta ohišja: AX VX VX IT TS TS IT AX wall-mounted enclosure, 3-part Širina: > 600 mm Globina: > 600 mm Širina/globina: 800 mm
Paketi	1 pc(s).
Neto teža	0,402 kg
Bruto teža	0,436 kg
Carinska tarifna številka	74198090
ETIM 9	EC000329
ECLASS 8.0	27400605
Opis izdelka	DK earth rail, horizontal, length 450 mm, W/D: >600 mm

Approvals

Explanations

Manufacturer's declaration