

# Rittal – The System.

Faster – better – everywhere.



## TS 8485.510

## Povezovalni sistemi TS 8

State: 25.6.2026 (Source: [rittal.com/si-sl](http://rittal.com/si-sl))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8485.510 - Povezovalni sistemi TS 8

The TS 8 sheet steel baying system, with its symmetrical profile in the width and depth, offers a significant space gain, plus simple interior installation. This likewise ensures bayability from all sides. Additionally, the integral, automatic potential equalisation of all enclosure panels and the triple surface treatment ensure optimum safety.



## Features

|                     |  |
|---------------------|--|
| Št. Modela          | TS 8485.510  |
| Material            | Okvir ohišja: jeklena pločevina, 1,5 mm<br>Streha: jeklena pločevina, 1,5 mm<br>Vrata: jeklena pločevina, 2,0 mm<br>Zadnja plošča: jeklena pločevina, 1,5 mm                                       |
| Površinska obdelava | Okvir ohišja: temeljni premaz<br>Vrata, streha in zadnja plošča: temeljni premaz, prašno barvana zunanost, teksturirana barva  |
| Barva               | RAL 7035   |
| Obseg dobave        | Okvir ohišja<br>Vrata<br>Zapiranje vrat pri enokrilnih ohišjih, možnost zamenjave na nasprotno stran<br>Strešna plošča<br>Zadnja plošča<br>4 očesni vijaki<br>Ključavnica: 3 mm dvojna ključavnica |
| Mere                | Širina: 400 mm<br>Višina: 1.800 mm<br>Globina: 500 mm  |

# Features

|                              |  |
|------------------------------|--|
| Razred zaščite po IEC 60 529 | IP 55 in conjunction with side panels and gland plates   |
| Razred zaščite NEMA          | NEMA 12 in conjunction with side panels and gland plates   |
| Tipaska ocena po UL 50E      | Type 1<br>Type 12  |
| IK koda                      | IK09   |
| Število vrat                 | 1  |
| Osnovni material             | Sheet steel  |
| Paketi                       | 1 pc(s).   |
| Neto teža                    | 49,02 kg   |
| Bruto teža                   | 51,6 kg  |
| Carinska tarifna številka    | 94032080   |
| ETIM 9                       | EC000261   |
| ECLASS 8.0                   | 27180101   |
| Opis izdelka                 | TS Bayed enclosure system, WHD: 400x1800x500 mm, sheet steel, without mounting plate, single door at the front |

# Approvals

|              |   |
|--------------|---|
| Approvals    | Bureau Veritas<br>DNV<br>Lloyds Register<br>UL + C-UL (listed)                          |
| Certificates | Surface finish  |
| Explanations | Manufacturer's declaration<br>Declaration of conformity<br>Declaration of conformity UK |