

Rittal – The System.

Faster – better – everywhere.



RX 9360.101

RiLineX end module set

State: 6.7.2026 (Source: [rittal.com/si-sl](https://www.rittal.com/si-sl))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



RX 9360.101 - RiLineX end module set za osnovni modul

RiLineX end module set, 3-pole, for the modular RiLineX board. This set forms board ends on the left and right, including all-round contact hazard protection. One of these is required for each modularly assembled RiLineX board system.



Features

Št. Modela	RX 9360.101
Prednosti	Scalable system lengths with basic modules Enostavna montaža Scalable rated currents thanks to variable busbar cross-sections Tested short-circuit resistance up to 65 kA Suitable for applications up to 1000 V AC and up to 1500 V DC Obsežna ponudba systemske dodatne opreme Contact hazard protection up to IP 2XB, upgradable to IP 3X Tested and certified to IEC and UL Simple extension and baying
Material	Poliamid (PA 6) Protipožarna zaščita v skladu z UL 94
Barva	RAL 35745
Obseg dobave	Board end element, left Board end element, right Sestavni deli
Za model št.	9360110 9360120 9360150

Features

Število polov	3-pole
Mere	Širina: 105 mm Višina: 240 mm Globina: 49,2 mm
Paketi	2 pc(s).
Neto teža	1 kg
Bruto teža	1,151 kg
PCF na paket (od zibelke do vrat)	6,65
Carinska tarifna številka	85472000
ETIM 9	EC002270
Opis izdelka	RiLineX end module set for the 3-pole modular RiLineX board. This set forms board ends on the left and right, including all-round contact hazard protection. One of these is required for each modularly assembled RiLineX board system. The supply includes one left-hand end module and one right-hand end module, plus assembly parts.

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity PCF-declaration